Approved For Release 2000/04/17 CTA-RDP76B04560A005200010011 CONFIDENTIAL NO FOREIGN DISSEM

PHOTOGRAPHIC

25X1C

25X1A

MISSION 5505 10 APRIL 1966

> R-120/66 MAY 1966

GROUP 1 EXCLUDED FROM AUTOMATIC DOWNGRADING

WHENERARY SECONFIDENTIAL RDP78B04560A005200010011-9 25X1C

Approved For Release 2000/04/17 : CIA-RDP78B04560A005200010011-9

WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

Approved For Release 2000/04/17/DENT-FAPP78B04560A005200010011-9

NO FOREIGN DISSEM

25X1C

PREFACE

This summary report contains additional information on "new" and "change" targets and order of battle information on all targets listed in the Index (MI) for this mission.

Items are arranged in sections.

The "New" section provides a description of targets newly identified or known but reported for the first time by NPIC.

The "Change" section provides a description of previously reported installations showing a major change, or those where an analysis of current photography furnishes more precise information.

The "Order of Battle" section provides information on targets where order of battle can be identified.

When there are no "New" or "Change" targets, or order of battle information, the appropriate section is omitted.

"New" and "change" targets are arranged 1) by country, 2) within the country according to subject, 3) within the subject by WAC area, and 4) within the WAC area by geographic coordinates in ascending order. Order of battle information is arranged 1) by subject, 2) within the subject according to country, 3) within the country by WAC area, and 4) within the WAC area by geographic coordinates in ascending order.

The map base used (when available and applicable) for the derivation of coordinates is the latest edition of the US Air Target Chart, Series 200, or AMS Series L509 1:250,000 (China); or ONC; or AMS Series 1301, IMW (Tibet, Western China).

The header line for each target contains, reading from

left to right, the target name, the geographic coordinates, the World Aeronautical Chart number, the Bombing Encyclopedia (BE) number, and the NPIC target number.

The COMOR target number, when available, appears above the photo reference data.

Photo reference data includes frame numbers and symbols denoting limiting conditions, photo interpretability, target coverage, and the mode.

Symbols for limiting conditions affecting photography are C (Clear), SC (Scattered Cloud Cover), HC (Heavy Cloud Cover), H (Haze), CS (Cloud Shadow), S (Snow), O (Obliquity), SD (Semidarkness), GC (Ground Cover), CF (Camouflage), and GR (Ground Resolution).

Interpretability of the photography is categorized as G (Good), F (Fair), or P (Poor). Target coverage is denoted by the symbols T (Total) or PT (Partial). The mode of coverage is indicated by ST (Stereo), NS (Non-Stereo), or PS (Partial Stereo).

When appropriate, an index follows "new" and "change" targets and another follows order of battle information, with targets in each index arranged alphabetically within a country.

AAA defenses are divided into three categories: light (ZPU-1, ZPU-2, ZPU-4, 37 mm), medium (57 mm, 85 mm), and heavy (100 mm and larger). The term HMGAA (heavy machine gun antiaircraft) indicates a weapon smaller than a ZPU-1. Where a category cannot be determined, the site will be listed as an AAA site and the number of guns indicated (example: 6-gun AAA site, occupied/unoccupied).

THIS SECTION PROVIDES A DESCRIPTION OF NEW TARGETS.

Approved For Release 2000/01/10 ENTARDP78B04560A005200010011-9
NO FOREIGN DISSEM

R-120/66

	6 4	W4.6	Target Numbers]	
Target	Coordinates	WAC	BE	NPIC	1	
-NORTH VIETNAM-						
MILITARY INSTALLATIONS						
HAIPHONG ARMY BARRACKS EAST EDGE OF HAIPHONG AT UTM AREA CONTAINS 5 SINGLE-STORY BARRACKS AND 1 T-SHAPED ADMINISTRATION BUILDING.	2051N 10643E	0616		109-R1		
ELECTRONICS/COMMUNICATIONS		1			ĺ	
HAIPHONG HF COMMUNICATIONS SITE 1 NM NE OF HAIPHONG AT UTM FACILITY CONTAINS 3 STICKMAST ANTENNAS AND A CONTROL BUILDING.	2052N 10642E	0616		109-D1		
1D (SEE ATTACHMENT 1)			ı			
BASIC SERVICES 25X1A		1				
OLASSIFICATION YARD O.2 NM NW OF PHAM XA AT UTM CLASSIFICATION YARD, 3 TRACKS WIDE, CONTAINS A PASSENGER TERMINAL AND 2 SUPPORT	2058N 10627E	0616		427-B		
BUILDINGS. ACTIVITY 1 LOCOMOTIVE, 14 PASSENGER CARS. AND 2 FLAT CARS.						
			!		05	
STORAGE		1		1	25X	

Approved For Release 200 CUNFIDENTIAL DZOBO45CO 4005290 970011-9

Approved For Release 200@0170ENTARDP78B04350A005200010011-9

R-120/66

EARLY STAGE OF CONSTRUCTION). 25X1D	Target		Coordin		WAC	Target N	et Numbers	
25X1D HAI LAI UG POL STORAGE U/C 0.3 NM SE OF THAI LAI AND 5.4 NM EAST OF HAIPHONG ALONG THE NORTH BANK OF THE CUA CAM (RIVER) AT UTM AREA CONTAINS 10 COMPLETE EXCAVATIONS AND 10 POL STORAGE TANKS IMMEDIATELY WEST ALONG RIVER BANK. (SEE ATTACHMENT 2)	ı orget		Coordin	uies	"AC	BE	NPIC	
	THAI LAI UG POL STORAGE U/C 0.3 NM SE OF THAI LAI AND 5.4 I OF HAIPHONG ALONG THE NORTH BAI CUA CAM (RIVER) AT UTM AREA CONTAINS 10 COMPLETE EXCA' AND 10 POL STORAGE TANKS IMMED WEST ALONG RIVER BANK. (SEE ATTACHMENT 2)	NM EAST NK OF THE VATIONS 25X1A IATELY	2055N	10637E	0616		427 - A	
					**			
						,		
	•							
					1			

Approved For Release 200@0NF7DEM7NADP78B04560A005200010911-9 NO FOREIGN DISSEM

R-120/66

_	Coordinates	WAC	Target N	umbers
Target	Coordinates	WAC .	BE	NPIC
-NORTH VIETNAM-			05)/44	,
			25X1A	
HAIPHONG SAM SITE B28-2 19.3 NM WEST OF HAIPHONG. SITE CONSISTS OF 6 REVETTED LAUNCH POSITIONS AND A REVETTED CENTRAL GUIDANCE AREA. (SEE ATTACHMENT 3) 25X1D	2052N 10620E	0616		310-E
HAIPHONG SAM SITE A33A-2 7 NM NW OF HAIPHONG. SITE CONSISTS OF 6 REVETTED LAUNCH POSITIONS IN AN IRREGULAR CONFIGURATION AND A REVETTED CENTRAL GUIDANCE AREA. ACQUISITION RADAR REVETMENTS ARE IMMEDIATELY SOUTH. (SEE ATTACHMENT 4) 25X1A	2054N 10638E 5X1D	0616		109-23
HAIPHONG SAM SITE B29-2 17.8 NM WNW OF HAIPHONG. SITE IS BEING RETURNED TO CULTIVATION. ONLY SCARRING FROM LAUNCH POSITIONS AND GUIDANCE AREA REMAIN. (SEE ATTACHMENT 5) 25X1A	2055N 10622E	0616		310-D
2	25X1D			
HAIPHONG SAM SITE A33-2 6 NM NW OF HAIPHONG. SITE CONSISTS OF 6 REVETTED LAUNCH POSITION	2056N 10636E	0616		371-C

25X1C
Approved For Release 2000(0) 17DEN 1-18 PP78B04560A005200010011-9
NO FOREIGN DISSEN

R-120/66

Target	Coordinates	WAC	Target	get Numbers	
	Coordinates	, "AC	BE	NPIC	
AND A REVETTED CENTRAL GUIDANCE AREA. (SEE ATTACHMENT 6) AIR INSTALLATIONS HAIPHONG/CAT BI AIRFIELD 7,700 X 190 FT ENE/WSW CONCRETE RUNWAY, SERVICEABLE. FORMER NNW/SSE CONCRETE RUNWAY IS NOW USED FOR A PARKING APRON. FACILITIES INCLUDE A PARALLEL TAXIWAY WITH 2 END-CONNECTING AND 3 CROSSOVER LINKS, A PARKING APRON TO THE NORTH, 2 LARGE AND 1 SMALL HANGAR, A CONTROL/OPERATIONS BUILDING, APPROXIMATELY 23 ASSOCIATED BUILDINGS, AT	2049N 10643E	0616	25X1A		
LEAST 24 OLD AND 8 NEW AIRCRAFT REVETMENTS (WITH EXHAUST VENTS/PERSONNEL EXIT SLITS), AND A POL STORAGE AREA 0.4 NM NORTH CONTAIN— ING 3 LARGE BURIED TANKS. ACTIVITY 2 PROBABLE HOOK (MI-6) SHIPPING CRATES ON THE SW PARKING APRON AT UTM (SEE ATTACHMENT 7) 25X1D MILITARY/NAVAL INSTALLATIONS					
CAT BA COASTAL DEFENSE SITES TWO AREAS IMMEDIATELY EAST AND WEST OF CAT BA. AREA A AREA B NOT COVERED. AREA B DEFENSE POSITIONS (1 IN EARLY STAGE AND 3 IN LATE STAGE OF CONSTRUCTION). 25X1D	2043N 10703E	0615		110	

25X1D CONFIDENTIAL Approved For Release 2094

052000100111-9

R-120/66

Approved For Release 2000/04/17 ENTARDP78B04560A005208010011-9 NO FOREIGN DISSEM

ſ	Target	Coordinates	WAC	Target N	umbers
	25X1D	Coordinates	"AC	BE	NPIC
25X1A	NUMEROUS PILES OF MATERIAL IN OPEN STORAGE OBSERVED ALONG THE SERVICE ROAD. (SEE ATTACHMENTS 8 AND 9)				. **
	25X1D			25X1A	
25X1	HAIPHONG NAVAL BASE SOUTH BANK OF CUA CAM (ESTUARY), AT THE MOUTH OF THE SONG TRAM BAC (CANAL) AT UTM D	2052N 10640E	0616		109-E
25X1A	BASE CONTAINS 1 T-HEAD PIER AND APPROXIMATELY 8 BUILDINGS. VESSELS 4 UNIDENTIFIED VESSELS. 25X1D				
***	HAIPHONG BARRACKS AREA 2 NM NORTH OF HAIPHONG AT UTM SECURED AREA CONTAINS 15 BARRACKS, 1 ADMINISTRATION, 1 MESSHALL, AND 7 SUPPORT BUILDINGS. 25X1D	2053N 10641E	0616		109-J
	ELECTRONICS/COMMUNICATIONS				
	HAIPHONG RADAR SITE 1.9 NM EAST OF THE CENTER OF HAIPHONG AT UTM EARLY WARNING RADAR SITE CONSISTS OF A REVETTED, TRUCK-MOUNTED PROBABLE KNIFE REST B RADAR AND A REVETTED SUPPORT VAN TRUCK. (SEE ATTACHMENT 10)	2051N 10643E	0616		109-R
	25X1D				
i					

R-120/66

Approved For Release 2000/04/17DENALEDP78B04560A005200010011-9

Target	Coordinates	WAC	Target N	lumbers
101301	Coordingles	"AC	BE	NPIC
INDUSTRY				
HAIPHONG SHIPYARD ON THE SOUTH BANK OF CUA CAM (ESTUARY) AT UTM 25X1D SHIPYARD CONTAINS 2 DRYDOCKS, 4 SMALL REPAIR WAYS, 1 FINGER PIER, EIGHT 3-STORY BUILDINGS, AND APPROXIMATELY 8 OTHER BUILDINGS. VESSELS 5 UNIDENTIFIED VESSELS. 25X1D	2052N 10640E	0616		109-Q
PORTS AND HARBORS			25X1A	
HAIPHONG PORT FACILITIES ON SOUTH BANK OF THE CUA CAM (ESTUARY). FACILITIES INCLUDE AN APPROXIMATELY 4,000-FT WHARF (SERVED BY 17 RAMPS), NUMEROUS SMALL DOCKS AND PIERS, A SHIP REPAIR YARD WITH 4 MARINE RAILWAYS, 12 LARGE WAREHOUSES, NUMEROUS STORAGE AND SUPPORT BUILDINGS, A LARGE POL STORAGE AREA, A THERMAL POWER- PLANT, AND AN ACTIVE CEMENT PLANT. A NEW PIER IS UNDER CONSTRUCTION AT UTM OB 2 P-4-CLASS PT IN DRYDOCK. VESSELS 1 MUROM-CLASS RUSSIAN FREIGHTER, 1 POLTAVA/PEKEKOP-CLASS RUSSIAN FREIGHTER, 1 SONG JIANG-CLASS CHINESE FREIGHTER, 1 KAZBEK-CLASS RUSSIAN TANKER, 70 BARGES, 1 PILE DRIVER, AND NUMEROUS RIVER CRAFT. ACTIVITY APPROXIMATELY 60 CARGO TRUCKS, 14 CRANES, AND NUMEROUS UNIDENTIFIED VEHICLES/PIECES OF EQUIPMENT IN PORT AREA AND APPROXIMATELY 29 BOX CARS AND 11	2052N 10642E	0616		109-D
GONDOLA CARS. 25X1D				

R-120/66

Target Numbers Target Coordinates WAC BE NPIC STORAGE HAIPHONG POL STORAGE U/C 2052N 10641E 0616 109-U AREA PREVIOUSLY REPORTED AS POL STORAGE UNDER CONSTRUCTION APPEARS TO BE AN 25X1D 8-GUN AAA SITE AT UTM 25X1D

THIS SECTION PROVIDES ORDER OF BATTLE INFORMATION.

Approved For Release 2000/00/17DENAL-RIDP78B04560A005200010011-9 NO FOREIGN DISSEN

R-120/66

	-	G # .	WAC	Target N	umbers	
	Target	Coordinates	WAC	BE	NPIC	
25X1D 25X1D	-NORTH VIETNAM- NAVAL HAIPHONG CHANNEL 25X1D OB 2 SWATOW-CLASS PGM AT	2050N 10640E	0616	25744	109-C	
	HAIPHONG PORT FACILITIES OB 2 P-4-CLASS PT IN DRYDOCK. VESSELS 1 MUROM-CLASS RUSSIAN FREIGHTER, 1 POLTAVA/PEKEKOP-CLASS RUSSIAN FREIGHTER, 1 SONG JIANG-CLASS CHINESE FREIGHTER, 1 KAZBEK-CLASS RUSSIAN TANKER, 70 BARGES, 1 PILE DRIVER, AND NUMEROUS RIVER CRAFT. ACTIVITY APPROXIMATELY 60 CARGO TRUCKS, 14 CRANES, AND NUMEROUS UNIDENTIFIED VEHICLES/PIECES OF EQUIPMENT IN PORT AREA AND APPROXIMATELY 29 BOX CARS AND 11 GONDOLA CARS.	2052N 10642E	0616	25X1A	109-D	
25X1D	ELECTRONICS/COMMUNICATIONS HAIPHONG RADAR SITE OB 1 PROBABLE TRUCK-MOUNTED KNIFE REST B RADAR WITH 1 SUPPORT VAN TRUCK. (SEE ATTACHMENT 10) MISCELLANEOUS	2051N 10643E	0616	25X1A	109-R	
	HAIPHONG/CAT BI AIRFIELD ACTIVITY 2 PROBABLE HOOK (MI-6)	2049N 10643E	0616		109-A	

Approved For Release 2000/04/17 PM 4-RDP78B045604 005200010011-9

R-120/66

	Target	Coordinates	WAC	Target 1	lumbers
	i arger	Coordinates	WAC	BE	NPIC
25X1D	SHIPPING CRATES. (SEE ATTACHMENT 7)			25X1A	
25X1D	HAIPHONG RR STATION CLASS YD & SHOPS ACTIVITY APPROXIMATELY 50 PIECES OF ROLLING STOCK.	2051N 10641E	0616		109-L
25X1D	HAIPHONG NAVAL BASE VESSELS 4 UNIDENTIFIED VESSELS. 25X1A	2052N 10640E	0616		109-E
25X1E	HAIPHONG SHIPYARD VESSELS 5 UNIDENTIFIED VESSELS。	2052N 10640E	0616	oud: - 5-1-	109-Q
25X1D	HAIPHONG COMPLEX ACTIVITY 1 OCCUPIED HEAVY (100 MM), 1 OCCUPIED MEDIUM, AND 4 OCCUPIED LIGHT AAA SITES. (SEE ATTACHMENTS 11-14)	2052N 10641E	0616		109
25X1D	PHAM XA RR CLASSIFICATION YARD ACTIVITY 1 LOCOMOTIVE, 14 PASSENGER CARS, AND 2 FLAT CARS.	2058N 10627E	0616		427-B

Approved For Release 2000